

Panikové kování Fapim Panama (vč. PAD) je určeno na panikové dveře, vč. protipožárních a kouřotěsných.

Bylo mj. také testováno a certifikováno:

vysoká četnost používání, s malou motivací vynaložení péče, hrubé zacházení
životnost – testováno 200.000 cyklů

hmotnost dveří – do 200 kg

vhodnost na kouřotěsné dveře – A vhodnost na protipožární dveře - B

bezpečnost používání – 1 - nejvyšší

odolnost proti korozi – 4 – nejvyšší, odolné 240 h v solné komoře

bezpečnost – 2

průmět madla – 2 – normovaný průmět 100 mm

typ ovládání – A – horizontálním madlem

oblast použití – A – na jednokřídlé i dvojkřídlé, na aktivní i pasivní křídlo

Jestliže to situace nevyžaduje, je možné hrazdu použít pouze na aktivní křídlo

a na pasivní křídlo použít např. automatickou závoru HZ27, Panamu PAD či Cremone

Certificazione prodotto n°
 Product certification no.
 Certification produit. n°
 Certificación de producto n°




1488 - CPD - 0069
 1488 - CPD - 0070



CPD - 1195
 CPD - 1194
 EN 1125:2008

Sostanze pericolose: nessuna-Dangerous materials: none
 Sustances dangereuses: neant-Sustancias peligrosas: ninguna

3	7	6	A	1	4	2	2	A	A
3	7	6	B	1	4	2	2	A	A





**BUILDING RESEARCH INSTITUTE
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA
ph.: +48 (22) 57 96 167, +48 (22) 57 96 168, fax: +48 (22) 57 96 295
e-mail: certyfikacja@itb.pl, www.itb.pl



EC CERTIFICATE OF CONFORMITY

1488-CPD-0070/W

In compliance the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products, amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

**PANIC EXIT DEVICES PANAMA BAR
OPERATED BY A HORIZONTAL BAR
for fire compartmentation doors**

Classification according to EN 1125:2008

1	2	3	4	5	6	7	8	9	10
3	7	6	B	1	4	2	2	A	A

Types: 8015, 8015X, 8022, 8022X, 8035, 8035X, 8039, 8040, 8040X

Accessories: 8100, 8105, 8105X, 8105XK, 8140, 8140X, 8145, 8145X, 8170, 8504F, 8415, 8415X, 8435, 8435X, 8440, 8442, 8444, 8450, 8452, 8454, 8480, 8481, 8500K, 8504X, 8505F, 8529F, 8540X, 8542X, 8565

Kits: 8801F, 8802F, 8803F, 8842

placed on the market by:

FAPIM S.p.A
Via delle Cerbaie 114
I-55011 Altopascio

and produced in the factories:

FAPIM S.p.A
Via delle Cerbaie 114,
Spianate, Via Chimenti 32
I-55011 Altopascio

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body - *Building Research Institute* - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

EN 1125:2008

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 03.06.2008 and remains valid as long as the conditions laid down in the harmonized technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

HEAD
of the Certification Department

Barbara Dobosz



DIRECTOR
of the Building Research Institute

Marek Kaproń

Warsaw, 06.12.2010



**BUILDING RESEARCH INSTITUTE
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA
ph.: +48 (22) 57 96 167, +48 (22) 57 96 168, fax: +48 (22) 57 96 295
e-mail: certyfikacja@itb.pl, www.itb.pl



EC CERTIFICATE OF CONFORMITY

1488-CPD-0069/W

In compliance the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products, amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

**PANIC EXIT DEVICES PANAMA BAR
OPERATED BY A HORIZONTAL BAR
for smoke compartmentation doors**

Classification according to EN 1125:2008

1	2	3	4	5	6	7	8	9	10
3	7	6	A	1	4	2	2	A	A

Types: 8010, 8012, 8015, 8015X, 8020, 8022, 8022X, 8032, 8035, 8035X, 8039, 8040, 8040X, 8351, 8352, 8353, 8360, 8360A

Accessories: 8400, 8401, 8405, 8406X, 8410, 8415, 8415X, 8430, 8435, 8435X, 8440, 8442, 8444, 8450, 8452, 8454, 8480, 8481, 8500, 85411, 8503, 8505, 8505F, 8506, 8520A, 8525, 8526, 8527, 8529F, 8540X, 8565, 8100, 8105, 8105X, 8140, 8140X, 8145, 8145X, 8170, 8050, 81072504, 81122504, 81402504, 81452504, 84002504, 84052504, 8406X2504, 8412A2504, 8432A2504, 8433A2504, 8440A2504, 8481A2504, 8504F2504, 85202504, 8520A2504, 85262504, 85272504, 8524X2504, 8362, 8363, 8364, 8370A, 8370B, 8370C, 8370D, 8375, 8382, 8500K, 8504X, 8508, 8542AX, 8105XK, 8380A, 8380B, 8380C, 8050X, 8504F, 8520, 8542X, 8529
Kits: 8801, 8801F, 8802, 8802D, 8802F, 8803, 8803D, 8803F, 8841, 8842, 8843, 8880, 8885, 8890, 8891, 8892, 87012504, 87022504, 8702A2504, 8702L2504, 87032504, 8703A2504, 8703L2504

placed on the market by:

FAPIM S.p.A
Via delle Cerbaie 114
I-55011 Altopascio

and produced in the factories:

FAPIM S.p.A
Via delle Cerbaie 114,
Spianate, Via Chimenti 32
I-55011 Altopascio

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body - *Building Research Institute* - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

EN 1125:2008

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 03.06.2008 and remains valid as long as the conditions laid down in the harmonized technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

HEAD
of the Certification Department

Barbara Dobosz
Barbara Dobosz



Warsaw, 06.12.2010

DIRECTOR
of the Building Research Institute

Marek Kaproń
Marek Kaproń



tor cheb

Prohlášení o shodě na panikové kování Fapim Panama

Potvrzujeme tímto shodu výše uvedeného výrobku se všemi nezbytnými zdravotními a bezpečnostními požadavky, shodu s právními předpisy členských států Evropské unie a shodu s následujícími řídicími pokyny:

89/106/EWG/EEC/CEE – stavební produkty

Z pohledu důležitých nařízení pro výše uvedený produkt jsou základní následující aplikované normy:

ČSN EN 1125

Identifikační údaje dokladů o zkouškách a posouzení shody:

CE prohlášení o shodě:

1488-CPD-0067/W

1488-CPD-0068/W

1488-CPD-0069/W

1488-CPD-0070/W

vydané ITB, ul. Filtrowa 1, 00-611 Varšava, Polská republika

Stanovený výrobek: panikové kování PANAMA

Varianty: tlačná madla TOUCH BAR, horizontální madla HORIZONTAL BAR

Výrobce:

FAPIM S.p.A

Via delle Cerbaine 114

I-55011 Altopascio

Žirovicích dne: 1.4. 2011

Martin Řezníček
jednatel

TOR Cheb, spol. s.r.o.
Františkovy Lázně
Žirovice 101
350 02 Cheb, CZ

e-mail: info@tor.cz
www.tor.cz

IČ: 46885706
DIČ: CZ46885706

Martin Řezníček
Jednatel společnosti
TOR Cheb, spol. s r.o., ④
Františkovy Lázně, Žirovice 101
350 02 Cheb